Index to Volume 78

α-thalassemia, 719–731
Abbott, W. G. H., 131–146
ABO, 215–219, 221–227, 229–233
"ABO and Rh D Polymorphism Among Tibetans in India" (Brief Communication), 229–233
Abramson, M. J., 705–717
ACE (angiotensin-converting enzyme) gene, 103–108
polymorphism, 103–108
Aceves, D., 65–75
ACP1, 365–369
Adak, D. K., 161–178
Adi tribes, 221–227
aDNA, 413–440
Africans, 29–41
Albania, 371–378
Al-Barwani, H., 103–108
Alekseev, A. N., 531–549
Al-Hinai, A., 103–108
allele frequencies, of *ABO*, 221–227
Almasy, L., 329–339
Alpine populations, 441–464
Altai, 477–494
Altai-Baikal, 531–549
Altuna, M. E., 635–639, 743–748
Alu, 441–464
insertion polymorphisms, 465–476
Alvarez, I., 513–525
Alves, R. T., 215–219
Amato, A., 371–378
Ambrosio, B., 663–679
Amerindians, 635–639, 743–748. *See also specific groups*
Colombian, 749–756
Mexican, 65–75, 579–598
Amory, S., 531–549
AmpFlSTR Amplification Kit, 1–8
ancient DNA, 531–549
Andalusia, 663–679
Angola, 29–41
anthropometrics, 161–178, 733–741
Aouizérate, A., 307–316
APOE, 65–75, 509–512
genotypes, 65–75
polymorphism, 65–75, 509–512
apolipoproteins, 509–512
Arabs, 307–316
Arenas-Aranda, D. J., 579–598
Aresti, U., 663–679
Argentina, 635–639, 743–748
Argüello-García, R., 579–598
articular cartilage, 353–364
Arunachal Pradesh, 221–227
"Association Between Morbidity and Skeletal Biomarkers of Biological Aging," 77–88
"Association of Genetic Variation Within *UBL5* with Phenotypes of Metabolic Syndrome," 147–160
asymmetry, 199–214
Atlantic islands, 697–703
Australia, 403–412
Australians, 705–717
Austria, 383–402
autosomal markers, 277–293
autosomal STRs, 531–549
"Autosomal STR Variation in a Basque Population: Vizcaya Province," 599–618
Azores Islands, 509–512, 697–703

"β-Globin Gene Cluster Haplotype Frequencies in Khalkhs and Buryats of Mongolia" (Brief Communication), 749–756
β-globin gene cluster haplotypes, 749–756
β^S haplotypes, 719–731

Bandyopadhyay, A. R., 733–741
Bantu populations, 29–41
Barrantes, R., 551–563
Basques, 599–618
Bayoumi, R. A., 103–108
BEACON gene, 147–160
Bendict, S., 103–108
Bengal, 733–741
Bengochea, M., 513–525
Bennett, C. C., 413–440
Berbers, 307–316
Berriche, S., 307–316
Bettencourt, C., 509–512
Bharati, P., 161–178
Bharati, S., 161–178
Bhatti, G. K., 43–63
Bhatti, J. S., 43–63
birth order, 733–741
Bittles, A. H., 277–293
bivariate linkage analysis, 317–327
Black, M. L., 277–293
black Brazilians, 29–41
Blangero, J., 89–101, 147–160, 317–327, 329–339, 341–352
blood groups, 215–219. *See also specific blood groups*
body composition, 733–741
body mass index (BMI), 161–178, 353–364, 733–741
"Body Mass Index and Chronic Energy Deficiency of Adult Males of Central Indian Populations," 161–178
body size, 295–306, 353–364
Borecki, I. B., 317–327
Borg, A. J., 403–412
Bortolini, M. C., 29–41
Boston European American population, 109–119
Bottini, E., 365–369
Bottini, N., 365–369
Bouchard, C., 317–327
Bozaoglu, K., 147–160
Brazil, 29–41, 215–219
Brazilian Amazon region, 215–219
Brdička, R., 9–27
Brehm, A., 697–703
Brennecke, S. P., 403–412
Bromová, M., 9–27
Buentello-Malo, L., 579–598
Bunker, C. H., 43–63
Burkina Faso, 9–27
Burkley, B., 179–198
Buryats, 749–756

Cabo Verde (Cape Verde), 697–703
Calderón, R., 663–679
Calvosa, V. S. P., 215–219
Cameroon, 9–27, 29–41
Campos-Sánchez, R., 551–563
cardiovascular disease, 109–119, 341–352. *See also* coronary heart disease
Carretto, E., 513–525
Carson, E. A., 383–402
cartilage, 353–364
caste groups, 109–119
castes, 161–178
Castilho, L., 215–219
Caucasus, 465–476
Cavasini, C. E., 215–219
CCR5 polymorphism, 697–703
Cerda-Flores, R. M., 579–598
Černý, V., 9–27
CGG repeats (in *FMR1*), 579–598
Chad, 9–27
Chakraborty, R., 109–119
Chen, B., 1–8
Chen, G., 757–770
China, 277–293, 413–440, 749–756, 757–770
Chinese, 121–126
Chinese ethnic groups, 277–293
chronic energy deficiency, 161–178
chronic obstructive pulmonary disease (COPD), 705–717
Chumlea, W. C., 353–364
Chuvashians, 77–88
Čmejla, R., 9–27
Cole, S. A., 329–339, 341–352
"Collection of Pedigree Data for Genetic Analysis in Isolate Populations," 89–101
Collier, G. R., 147–160
Colombian Amerindians, 749–756
"Combining Genetics and Population History in the Study of Ethnic Diversity in

the People's Republic of China," 277–293
Comuzzie, A. G., 147–160
Congo, 29–41
coronary heart disease, 43–63, 317–327. *See also* cardiovascular disease
Costa Rica, 551–563
Couto, Á. A., 215–219
cranial nonmetric traits, 383–402
Crawford, M. H., 477–494, 599–618
Crubézy, E., 531–549
CSF1PO, 599–618, 757–770
cultural transmission of fitness, 495–508
Curran, J. E., 147–160
CYP2A6 polymorphism, 235–242
"*CYP2A6* Polymorphism Reveals Differences in Japan and the Existence of a Specific Variant in Ovambo and Turk Populations" (Brief Communication), 235–242
Czech population, 681–696

D3S1358, 599–618, 757–770
D5S818, 599–618, 757–770
D7S820, 599–618, 757–770
D8S1179, 599–618, 757–770
D13S317, 599–618, 757–770
D16S539, 599–618, 757–770
D18S51, 599–618, 757–770
D21S11, 599–618, 757–770
Dagestan, 465–476
D'Angelo, R., 371–378
data collection, 89–101
De Grandi, A., 441–464
degree of relatedness, 1–8
Demarchi, D. A., 635–639, 743–748
De Mattos, L. C., 215–219
demographic history, 441–464
Derenko, M. V., 681–696
dermatoglyphics, 199–214
Després, J.-P., 317–327
Devor, E., 477–494
diabetes, 147–160. *See also* non-insulin-dependent diabetes mellitus *and* type 2 diabetes
Diallo, I., 9–27
Diéterlen, F., 307–316
"Distribution of a 9.1-kb Insertion-Deletion Polymorphism Among Native and Admixed Populations from Argentina" (Brief Communication), 743–748
dizygotic twinning, 253–275
d-loop, 413–440
DNA typing, 757–770
Domingos, C. R. B., 215–219
Duffy, 215–219
Dugoujon, J. M., 663–679
Duren, D. L., 353–364
DXS548, 579–598
Dyer, T. D., 147–160, 329–339, 341–352
DYS19, 551–563, 565–578, 635–639
DYS199, 635–639
DYS385, 551–563
DYS389, 551–563, 565–578, 635–639
DYS390, 551–563, 565–578, 635–639
DYS391, 551–563, 565–578, 635–639
DYS392, 551–563, 565–578
DYS393, 565–578, 635–639
DYS437, 551–563
DYS438, 551–563
DYS439, 551–563
dyslipidemia, 147–160

"Early Influence of the Steppe Tribes in the Peopling of Siberia," 531–549
early life viability, 365–369
Easter Island, 565–578
Ebro River delta, 647–662
effective size, 495–508
"Effect of *ACP1*C* on Early Life Viability" (Brief Communication), 365–369
Egypt, 371–378
Elion, J., 29–41
Elliott, K. S., 147–160
Ellis, J. A., 705–717
Emiratis, 103–108
endogamous population, 199–214
EPHX1. *See* epoxide hydrolase
epidemiological transition, 619–634
epoxide hydrolase (*EPHX1*), 705–717
Eriksson, A. W., 253–275
Erratum (Pichler et al.), 641
Escamilla, M., 551–563
Esparza, M., 647–662
Estrada-Mena, F. J., 579–598

"Ethnic Differences in the Prevalence of Inherited Thrombophilic Polymorphisms in an Asymptomatic Australian Prenatal Population," 403–412
Evenkis, 749–756
evolution, 495–508
"Evolution of Inbreeding Coefficients and Effective Size in the Population of Saguenay Lac-St.-Jean (Québec)," 495–508
extended families, 89–101

factor V Leiden, 403–412
family study, 329–339
Fan, H., 757–770
Feitosa, M. F., 317–327
Felix-López, X. A., 579–598
Fellman, J., 253–275
Fels Longitudinal Study, 353–364
Fernandes, A. T., 697–703
Ferrell, R. E., 43–63
FGA, 599–618, 757–770
fieldwork, 89–101
Finau, S. A., 131–146
Finland, 253–275
Finns, 1–8
FMR1, 579–598
"*FMR1* CGG Repeat Distribution and Linked Microsatellite-SNP Haplotypes in Normal Mexican Mestizo and Indigenous Populations," 579–598
Fontcuberta, J., 329–339
forensics, 757–770
Försti, A., 1–8
founder effect, 635–639
fragile X disease, 579–598
FRAXAC1, 579–598
Freitas, T., 697–703
"Frequencies of ABO, MNSs, and Duffy Phenotypes Among Blood Donors and Malaria Patients from Four Brazilian Amazon Areas" (Brief Communication), 215–219
"Frequency of the *CCR5-Δ32* Mutation in the Atlantic Island Populations of Madeira, the Azores, Cabo Verde, and São Tomé e Príncipe," 697–703
Fujihara, J., 235–242
Fulani nomads, 9–27
"Further Data on a 9.1-kb Insertion-Deletion Polymorphism: Survey of Mediterranean Populations" (Brief Communication), 371–378

Gane, E. J., 131–146
García, A., 743–748
García-Moro, C., 619–634, 565–578, 647–662
Gautam, R. K., 161–178
gene flow, 295–306, 663–679
genetic distance between individuals, 1–8
genetic distances, 647–662
genetic diversity, 131–146
"Genetic Diversity and Linkage Disequilibrium in the Polynesian Population of Niue Island," 131–146
genetic drift, 565–578
genetic epidemiology, 89–101, 719–731
"Genetic Heterogeneity Among Three Adi Tribes of Arunachal Pradesh, India" (Brief Communication), 221–227
"Genetic Position of Andalusians from Huelva in Relation to Other European and North African Populations: A Study Based on *GM* and *KM* Allotypes," 663–679
"Genetic Profile of Two Tibetan Populations from China by Analysis of 15 STR Loci" (Brief Communication), 757–770
"Genetic Relationships Between Parishes in the Ebro Delta Region (Spain) as Estimated by Migration Matrix and Surnames," 647–662
"Genetics of Dermatoglyphic Asymmetry in Vaidyas of West Bengal, India," 199–214
genetic structure, 65–75, 441–464, 465–476, 551–563, 599–618
"Genetic Structure Analysis of Three Hispanic Populations from Costa Rica, Mexico, and the Southwestern United States Using Y-Chromosome STR Markers and mtDNA Sequences," 551–563
"Genetic Structure in Contemporary South Tyrolean Isolated Populations Revealed

by Analysis of Y-Chromosome, mtDNA, and *Alu* Polymorphisms," 441–464
"Genetic Structure of Dagestan Populations: A Study of 11 *Alu* Insertion Polymorphisms," 465–476
genetic variation, 179–198, 743–748
"Genetic Variation at the Mitochondrial DNA 9-bp Repeat Locus in the Sakha of Siberia," 179–198
genome diversity, 371–378
genotype-environment interaction, 295–306
Gérard, N., 307–316, 719–731
Gereksaikhan, T., 749–756
Ghanaians, 121–126
Gharami, A. K., 161–178
Ghiani, M. E., 565–578
Ghosh, J. R., 733–741
Gloria-Bottini, F., 365–369
GM haplotypes, 663–679
González-Martín, A., 663–679
Govindaraju, D. R., 109–119
Gray, R. R., 179–198
Greece, 371–378
growth status, 295–306
Guitard, E., 663–679
Gupta, R., 229–233
Guseinov, G., 465–476

Hájek, M., 9–27
Hao, L., 749–756
haplogroup diversity, 277–293
haplogroups, 131–146
haplotypes, 565–578
haptoglobin, 121–126
"Haptoglobin Gene Promoter Polymorphism and Haplotypes Are Unique in Different Populations" (Brief Communication), 121–126
Harihara, S., 749–756
Hassan, M. O., 103–108
Hemminki, K., 1–8
hemostasis, 329–339
heritability, 383–402
Hernández, M., 565–578, 647–662
"Heterogeneity of Apolipoprotein E Polymorphism in Different Mexican Populations," 65–75
Heyer, E., 495–508
Hidalgo, P. C., 513–525
Hieda, Y., 235–242
Higgins, J. R., 403–412
high-density lipoprotein (HDL), 317–327
HIV infection, 697–703
HLA, 131–146
  class I antigens, 513–525
  haplotypes, 513–525
"*HLA* Class I Antigen and *HLA-A*, *-B*, and *-C* Haplotype Frequencies in Uruguayans" (Brief Communication), 513–525
HP, 121–126
  haplotypes, 121–126
  promoter polymorphism, 121–126
Huichols, 65–75
human genetic diversity, 663–679
humans, 341–352
hypervariable region I (HVRI), 413–440
  sequencing, 179–198
hypervariable segment (HVS I and II), 9–27, 29–41, 131–146, 551–563, 681–696

Iberia, 307–316
Iberian peninsula, 663–679
Imamura, S., 235–242
Imanishi, T., 749–756
"Implications of the Genetic Epidemiology of Globin Haplotypes Linked to the Sickle Cell Gene in Southern Iran," 719–731
inbreeding, 495–508
income, 733–741
"Income, Birth Order, Siblings, and Anthropometry," 733–741
India, 43–63, 109–119, 161–178, 199–214, 221–227, 229–233
Inga, 749–756
inheritance, 199–214
insertion-deletion polymorphism, 103–108, 371–378, 743–748
"Insertion-Deletion Polymorphism in the Angiotensin-Converting Enzyme (*ACE*) Gene Among Sudanese, Somalis, Emiratis, and Omanis" (Brief Communication), 103–108

insulin-like growth factor 1 (*IGF1*), 317–327
interleukin 1 (*IL1*) gene cluster, 109–119
Iranians, 413–440
isoforms, 509–512
isonymy, 647–662
Italy, 365–369, 371–378

Japanese, 235–242, 243–247, 749–756
Jing, F., 749–756
Jowett, J. B., 147–160

Kaestle, F. A., 413–440
Kalichman, L., 77–88
Kamboh, M. I., 43–63
Kamsa, 749–756
Kangba Tibetan group, 757–770
Karmakar, B., 199–214
Kataoka, K., 235–242
Keyser, C., 531–549
Khalkhs, 749–756
"The Khatri Sikh Diabetes Study (SDS): Study Design, Methodology, Sample Collection, and Initial Results," 43–63
Khatri Sikh population, 43–63
Khusainova, R., 465–476
Khusnutdinova, E., 465–476
Kimura, H., 121–126
KM allotypes, 663–679
knee, 353–364
Kobyliansky, E., 77–88
Koda, Y., 121–126
Koreans, 749–756
Krishnamoorthy, R., 29–41, 719–731
Krithika, S., 221–227
Kutuev, I., 465–476

Ladins, 441–464
Leon, A. S., 317–327
Lhasa Tibetan group, 757–770
Libya, 371–378
Lima, M., 509–512
limits of detection, 1–8
linkage analysis, 329–339
linkage disequilibrium, 131–146
"Linkage Disequilibria and Haplotype Structure of Four SNPs of the Interleukin 1 Gene Cluster in Seven Asian Indian Populations" (Brief Communication), 109–119
lipid levels, 509–512
lipids, 317–327
lipoprotein, 317–327
Little, B. B., 295–306
Liu, T., 757–770
Livshits, G., 77–88
"A Locus on Chromosome 13 Influences Levels of TAFI Antigen in Healthy Mexican Americans," 329–339
Lopes, P. A., 509–512
Lucotte, G., 307–316
Ludes, B., 531–549
lung function, 705–717

MacCluer, J. W., 147–160, 329–339, 341–352
Machado, R. L. D., 215–219
Madeira, 697–703
Mahaney, M. C., 341–352
Maji, S., 221–227
malaria, 215–219
Malina, R. M., 295–306
Malyarchuk, B. A., 681–696
Marrero, A., 29–41
marriages, 647–662
Matheson, M. C., 705–717
Mauritians, 147–160
maximum likelihood, 253–275, 383–402
"Maximum-Likelihood Variance Components Analysis of Heritabilities of Cranial Nonmetric Traits," 383–402
Mayr, A., 441–464
Mbyá-Guaraní, 635–639, 743–748
Mediterranean basin populations, 599–618
Mediterranean peopling, 663–679
Mediterranean populations, 371–378, 599–618
Meitinger, T., 441–464
Mendoza, R., 551–563
Merat, A., 719–731
Mestizos, 65–75
metabolic syndrome, 147–160
methods, 89–101
methylenetetrahydrofolate reductase (*MTHFR*), 403–412
Mexican Americans, 147–160

Mexican Amerindians, 579–598
Mexican Indians, 65–75
Mexican Mestizos, 579–598
Mexican population, 65–75
Mexico, 295–306, 551–563
microsatellite markers, 1–8
microsatellites, 131–146, 635–639
"Microsomal Epoxide Hydrolase Is Not Associated with COPD in a Community-Based Sample," 705–717
migration matrix, 647–662
Minorca, 619–634
minzu, 277–293
Mitchell, R. J., 565–578
mitochondrial DNA, 29–41, 131–146, 179–198, 277–293, 413–440, 441–464, 477–494, 531–549, 551–563, 681–696
  haplogroups, 29–41
  variation, 9–27
"Mitochondrial DNA Variability in the Czech Population, with Application to the Ethnic History of Slavs," 681–696
MNSs, 215–219
Modesti, N. M., 635–639
Moffat-Wilson, K., 477–494
molecular analysis, 477–494
molecular phylogeography, 681–696
Mongolia, 413–440, 749–756
monozygotic twinning, 253–275
Montiel, R., 509–512
Moral, P., 565–578
morbidity, 77–88
Morocco, 371–378
mortality, 619–634
Moses, E. K., 403–412
Mourali-Chebil, S., 495–508
Mozambique, 29–41
mtDNA. *See* mitochondrial DNA
"mtDNA Haplogroup Analysis of Black Brazilian and Sub-Saharan Populations: Implications for the Atlantic Slave Trade," 29–41
"mtDNA of Fulani Nomads and Their Genetic Relationships to Neighboring Sedentary Populations," 9–27
"mtDNA Variation in the Altai-Kizhi Population of Southern Siberia: A Synthesis of Genetic Variation," 477–494
Mueller, J. C., 441–464
Mulligan, C. J., 179–198
"Multiple QTLs Influence Variation in Paraoxonase 1 Activity in Mexican Americans," 341–352
Munn, S. R., 131–146
Munoz, R., 551–563
Muñoz-Tudurí, M., 619–634
Muslim domination in southern Portugal and Spain, 307–316
Muslims, 161–178

9-bp locus, 179–198
Nagel, R. L., 719–731
Nahuas, 579–598
Nakagami, N., 235–242
natural selection, 295–306
Nauruans, 147–160
Neolithic expansion, 277–293
network analysis, 29–41
Nicolini, H., 551–563
Niue Island, 131–146
non-insulin-dependent diabetes mellitus, 43–63. *See also* diabetes
"North African Berber and Arab Influences in the Western Mediterranean Revealed by Y-Chromosome DNA Haplotypes," 307–316
Nuño, P., 65–75
nutritional status, 161–178

Ogriseg, M., 441–464
Omanis, 103–108
Omoto, K., 749–756
Ontiveros, A., 551–563
"Opportunity for Natural Selection and Gene Flow in an Isolated Zapotec-Speaking Community in Southern Mexico in the Throes of a Secular Increase in Size," 295–306
Oriental Siberia, 531–549
Oroqens, 749–756
Oshida, S., 243–247
osseographic score, 77–88
osteoarthritis, 353–364
Ovambos, 235–242
oxidative stress, 341–352

p49a,f *TaqI* haplotype V, 307–316
Pal, M., 161–178
Palikij, J., 599–618
Panduro, A., 65–75
Pang, H., 121–126
paraoxonase 1 (*PON1*), 341–352
paternal lineages, 635–639
Pavão, M. L., 509–512
pedigree analysis, 383–402
Peñaloza-Espinoza, R. I., 579–598
Peña Reyes, M., 295–306
PENTAD, 757–770
PENTAE, 757–770
People's Republic of China, 277–293. *See also* China
Perkova, M. A., 681–696
Phillips-Krawczak, C., 477–494
phosphoglycerate kinase (*PGK1*) gene, 243–247
phylogeny, 565–578
phylogeography, 29–41
Pichler, I., 441–464
Pilagá, 743–748
Pinggera, G. K., 441–464
"Pleiotropic QTL on Chromosome 12q23–q24 Influences Triglyceride and High-Density Lipoprotein Cholesterol Levels: The HERITAGE Family Study," 317–327
Ploner, F., 441–464
Poles, 1–8
"Polymorphism of the *APOE* Locus in the Azores Islands (Portugal)" (Brief Communication), 509–512
Polynesia, 131–146
PON1. *See* paraoxonase 1
population genetics, 465–476
of Tibetans, 757–770
population relationships, in Spain, 647–662
Portugal, 509–512
Pramstaller, P. P., 441–464
prenatal population, 403–412
prothrombin gene, 403–412
Purepechas, 579–598

QTL linkage analysis, 341–352
quantitative trait loci (QTLs), 317–327, 329–339
Quaye, I. K. E., 121–126
Quebec, 495–508

radiographic joint space, 353–364
"Radiographic Joint Space of the Knee in Healthy Young Adults," 353–364
Rahimi, Z., 719–731
Rainwater, D. L., 147–160, 341–352
Raj, S. M., 109–119
Ralhan, S. K., 43–63
Ramos-Kuri, M., 579–598
Rankinen, T., 317–327
Rao, D. C., 317–327
Rapanui, 565–578
Raven, J., 705–717
Raventos, H., 551–563
"Reanalysis of Eurasian Population History: Ancient DNA Evidence of Population Affinities," 413–440
RFLPs, 477–494
Rh, 229–233
Rice, T., 317–327
Rinaldi, A., 371–378
Rinaldi, C., 371–378
Robledo, R., 371–378
Roman, S., 65–75
Rossit, A. R. B., 215–219
Roy, R., 599–618
Ruiz, B., 65–75
rural and urban populations, 65–75
Russia, 465–476

Saguenay Lac-St.-Jean, 495–508
Said, J. M., 403–412
Sakha, 179–198
Salamanca Gómez, F., 579–598
San Antonio Family Heart Study (SAFHS), 147–160, 341–352
Sanghera, D. H., 43–63
Santos, C., 509–512
São Tomé e Príncipe, 697–703
Sardinia, 365–369, 371–378
Satapathy, K. C., 229–233
scheduled castes, 161–178
scheduled tribes, 161–178
schizophrenia, 551–563
Schneider, M. P. C., 29–41
seasonality, 619–634

secondary sex ratio, 253–275
Sengupta, M., 199–214
Serizawa, Y., 243–247
Sherwood, R. J., 353–364
Shimizu, K., 749–756
short tandem repeat (STR), 1–8, 243–247, 565–578, 599–618, 757–770
"Short Tandem Repeat Polymorphism in the Flanking Region of the Human Phosphoglycerate Kinase Gene in a Japanese Population" (Brief Communication), 243–247
Siberia, 179–198, 477–494
siblings, 733–741
Sicily, 371–378
sickle cell disease, 719–731
Sidoti, A., 371–378
Siervogel, R. M., 353–364
Sikh Diabetes Study, 43–63
Silva, S., 551–563
Silva, W. A., 29–41
Simsek, M., 103–108
Singh, J. R., 43–63
Sip, M., 681–696
skeletal aging, 77–88
skinfold measurements, 733–741
Skinner, J. S., 317–327
slave trade, 29–41
Soejima, M., 121–126
Somalis, 103–108
Soria, J. M., 329–339
South African Europeans, 121–126
South American populations, 513–525
southern Iran, 719–731
South Tyrol, 441–464
Southwestern United States, 551–563
Souto, J. C., 329–339
Spain, 509–512, 647–662
spontaneous abortion, 365–369
standard error, 253–275
Stefanov, S. A., 441–464
STR. *See* short tandem repeat
"STR Markers for Kinship Analysis," 1–8
subhaplotype Va (Arab), 307–316
subhaplotype Vb (Berber), 307–316
sub-Saharan populations, 9–27, 29–41
Sudanese, 103–108
Sweden, 253–275
Takayama, K., 235–242
Takeshita, H., 235–242
Takeuchi, Y., 749–756
Tanabe, Y., 749–756
Tarskaia, L., 179–198
Teye, K., 121–126
TH01, 599–618, 757–770
thrombin activatable fibrinolysis inhibitor (*TAFI*), 329–339
thrombomodulin, 403–412
thrombophilia, 403–412
Tibet, 277–293
Tibetans, 229–233, 277–293, 757–770
Tibeto-Burman populations, 221–227
Tie, J., 243–247
time series analysis, 619–634
"Time Series Analysis of the Epidemiological Transition in Minorca, 1634–1997," 619–634
Toba, 743–748
Tokimasa, K., 749–756
Toledo, R., 513–525
Tonga, 131–146
Towne, B., 353–364
TPOX, 599–618, 757–770
triglycerides, 317–327
Tripathy, V., 229–233
Tsuneoka, M., 121–126
Tukuitonga, C. F., 131–146
Tunisia, 371–378
Turks, 235–242
type 2 diabetes, 43–63. *See also* diabetes
Tzeltales, 579–598

UBL5, 147–160
Uruguay, 513–525
Usami, R., 243–247
U.S. Hispanic population, 551–563

Vaidya, 199–214
VandeBerg, J. L., 147–160
Vanecek, T., 681–696
variance components analysis, 383–402
Vasulu, T. S., 221–227
Viegas-Crespo, A. M., 509–512
Vizcaya, 599–618
Volpato, C. B., 441–464

Vona, G., 565–578
VWA, 599–618, 757–770

Walder, K. R., 147–160
Walker, P. L., 619–634
Walker, S. P., 403–412
Walters, E. H., 705–717
Wander, G. S., 43–63
Wang, N., 109–119
Wang, W., 277–293
Warren, D. M., 329–339
Wayuu, 749–756
Weeks, D. E., 43–63
Weinberg's differential rule, 253–275
"Weinberg's Differential Rule Reconsidered," 253–275
Wen, F., 757–770
West Bengal, 199–214
western Mediterranean area, 307–316
Wichí, 743–748
Wilkening, S., 1–8
Williams, J. T., 403–412
Williams-Blangero, S., 89–101
Winnier, D. A., 341–352
Winship, I. M., 131–146
Wise, C. A., 277–293

Xue, Y., 235–242

Yahya, T. M., 103–108
Yakuts, 179–198, 531–549
"Y-Chromosomal Evidence for a Founder Effect in Mbyá-Guaraní Amerindians from Northeast Argentina," 635–639
Y chromosome, 131–146, 277–293, 441–464
haplotypes, 307–316
polymorphisms, 565–578
STRs, 531–549, 551–563
"Y-Chromosome-Specific STR Haplotype Data on the Rapanui Population (Easter Island)," 565–578
Ying, B., 757–770
Yoshida, Y., 243–247
Yunusbayev, B., 465–476

Zago, M. A., 29–41
Zapotec-speaking community, 295–306
Zepeda, E., 65–75
Zhao, Z., 757–770
Zimmet, P., 147–160
Zlojutro, M., 477–494, 599–618